


VENUS V-430-SLV FPP3 NR D

Features & Benefits



Elastic sewed outside filter area

No leakage
No Puncture on filter

Inside nose clip

No metal exposure

High tensile strength adjustable aluminum nose clip

Provides leak proof snug fit.

Latex free Braided Elastic

Long Life, Skin friendly, does not deform in high temperature

Cut seal edges

No loose fibers at edges

Unique Adjuster Beads

Gives snug fit yet relieves strap pressure



PC Transparent Valve

One Way Exhalation Vent Valve

Unique butterfly wings design provides maximum breathing comfort. Promotes easy communication.



Technical Datasheet

VENUS V-430-SLV FFP3 NR D EN-149-2001 + A1: 2009 Approved Respirator

- ◆ Filtering efficiency > 99% against Solid & Liquid particles Complies EC type test requirements based on EN 149:2001 + A1: 2009 by European notified body, IFA (0121), Germany
 - ~ N.P.F.* 50 X O.E.L
 - ~ A.P.F.* (GER.) 30 X O.E.L
 - ~ A.P.F.* (IND.) 50 X O.E.L

(*N.P.F.—Nominal Protection Factor, *A.P.F.— Country wise Assigned Protection Factor)

Filter Media

- ◆ High technology filter media with micro fine fibers & electro static charge gives maximum filtering efficiency

Stylish & User Friendly

- ◆ Comfort Fold Flat Style filtering face piece produced substantially of filter media to fit on the face covering the nose and mouth comfortably so that fine particles does not enter from the edges.
- ◆ Large surface area to suit breathing comfort and high protection.
- ◆ Low profile design, fitting wide range of face contours
- ◆ Light weight provides greater work comfort, suits longer duration of wear
- ◆ Compatible with / other face / head PPE(s)

Suggested applications

- Virus & Bacteria
- Battery
- Pharmaceutical
- Brazing & Working with Molten Metals
- Avian flu
- Fertilizer
- Drilling
- Ferrous / Non-ferrous Metallurgical industries
- Foundries
- Tyre
- Dyes & Dyestuffs
- Petrochemicals
- Sand blasting

Use For

- ◆ Solid particles & non oil based Liquid particle from sprays.

Disposal

- ◆ Contaminated products should be disposed as hazardous waste in accordance

Important Information

- ◆ See information supplied by manufacturer with product.
- ◆ Fitting instructions to be followed each time before using respirator.
- ◆ Failure to follow all user instructions and limitation on the use of this respirator and / or failure to wear this respirator during all times of exposure can reduce respirator effectiveness and result in sickness or death.
- ◆ Do not use for protection against Gases, Vapours, or in atmosphere containing less than 17% oxygen.
- ◆ Use Condition : Not against particles of carcinogenic and Radioactive substances, Micro-organisms & Enzymes

For More Information Please Contact

Technical Service Help Line : + 1800 22 2646

Venus Safety & Health Pvt. Ltd.

Plot no. W-284, MIDC Rabale,
Navi Mumbai - 400 701, MAH., India

Tel. : +91 22 2760 2583, Fax : +91 22 2769 0126

E-mail : info@venusohs.com www.venusohs.com

IFA
Institut für Arbeitsschutz der
Deutschen Gesetzlichen Unfallversicherung
Prüf- und Zertifizierungsstelle im DGUV Test

European notified body
Identification number: 0121

certificate
no. IFA 1401068
dated 2014-09-18

Translation

EC-Type Test Certificate

Name and address of the holder of the certificate (customer): Venus Safety & Health Pvt. Ltd.
L-17, M.I.D.C.-Taloja
Maharashtra 410 208
INDIA

Product designation: **VENUS V-430-SLV FFP3 NR D**

Type: Particle filtering half mask with exhalation valve

Testing based on: DIN EN 149:2009

Test report: 201021240/2120 of 2010-05-17 - IFA, St. Augustin
201421739/2120 of 2014-09-15 - IFA, St. Augustin

Further details: For protection against non highly volatile liquid and solid particles.
Class of device: FFP3 NR D
Maximum application time or particle exposure one single shift.
This document is valid in connection with the technical file and the instructions for use in English language, both provided with IFA endorsement of 2014-07-24 and replaced the EC-Type Test certificate IFA 1001118 of 2010-06-01.

Manufacturer:
Venus Safety & Health Pvt. Ltd.
L-17, M.I.D.C.-Taloja,
Maharashtra 410 208
INDIA

The product tested complies with the essential requirements of Annex II of the directive 89/686/EEC (Personal Protective Equipment), amended by the directives 93/68/EEC, 93/95/EEC and 95/58/EC.
The present certificate is valid until: **2019-09-17**
Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.

Dr. rer. nat. Peter Paszkiewicz
Head of testing and certification body

Dipl.-Ing. Hans-Ulrich Tobys
Certification officer

In any case, the German original shall prevail.

Postal address: Alte Heerstraße 111 / 53797, St. Augustin
Phone / Fax: +49 (0) 2241 231-2751 / +49 (0) 2241 231-2234
Internet: <http://www.dguv.de/ifa>

E-Mail: ifa@dguv.de

Products Physical Information

Item Code	: 14056
Color	: Grey
Max. Weight	: <21Grams
Packaging	: 1 pc./bag, 15 nos. per pack. 10 packs per carton

VENUS®
High Protection ! Good comfort ! Great Value !

